Fluid Phase Equilibria, 91 (1993) 391–392
Elsevier Science Publishers B.V., Amsterdam

Contents Volume 91 (1993)

Volume 91, No. 1

Vapor–liquid equilibria in nonpolar/weakly polar systems with different types of mixing rules
N.G. Voros and D.P. Tassios (Athens, Greece) 1–29

A cubic equation of state model for phase equilibrium calculation of alkane + carbon dioxide + water using a group contribution k_{ij}
J.L. Daridon, B. Lagourette, H. Saint-Guirons and P. Xans (Pau, France) 31–54

The coexistence line in mean field theories
M. Legault and L. Blum (Río Piedras, Puerto Rico) 55–66

Quadratic mixing rules for equations of state. Origins and relationships to the virial expansion
K.R. Hall, G.A. Iglesias-Silva (College Station, TX, USA) and G.A. Mansoori (Chicago, IL, USA) 67–76

Excess Gibbs free energy of mixing
K.V. Narayanan and M.S. Ananth (Madras, India) 77–86

Estimation of high-pressure fugacity coefficients of pure gaseous fluids by a modified SRK equation of state
G. Soave (San Donato Milanese, Italy), M. Barolo and A. Bertucco (Padova, Italy) 87–100

Excess enthalpies in the binary systems water–hydrazine, water–methylhydrazine and water-1,1-dimethylhydrazine: determination and modeling in relation to the structure of the liquid phase
M. Ferriol, A. Laachach, M.T. Cohen-Adad and J. Thourey (Villeurbanne, France) 101–112

Solubility of sulfur dioxide in aqueous solutions of sodium- and ammonium sulfate at temperatures from 313.15 K to 393.15 K and pressures up to 3.5 MPa
B. Rumpf and G. Maurer (Kaiserslautern, Germany) 113–131

Phase equilibria of CO_2 + dl-α-tocopherol at temperatures from 292 K to 333 K and pressures up to 26 MPa
P.J. Pereira, M. Gonçalves (Monte de Caparica, Portugal), B. Coto (Madrid, Spain), E. Gomes de Azevedo (Lisbon, Portugal) and M. Nunes da Ponte (Monte de Caparica, Portugal) 133–143

Coexisting densities, vapor pressures and critical densities of refrigerants R-32 and R-152a, at 300–385 K
C.D. Holcomb, V.G. Niesen, L.J. Van Poolen and S.L. Outcalt (Boulder, CO, USA) 145–157

The constant pressure heat capacity of supercritical carbon dioxide–methanol and carbon dioxide–ethanol co-solvent mixtures
J.R. Boulton and F.P. Stein (Bethlehem, PA, USA) 159–176

Density measurements in the ternary system poly(vinylidene fluoride)–water–*N*,*N*-dimethyl formamide at 20°C
L. Ambrosone (Campobasso, Italy), R. Sartorio and V. Vitagliano (Napoli, Italy) 177–185

Liquid–liquid miscibility curves for binary systems: *N*-methylpyrrolidone with several hydrocarbon isomers
R. Eustaquio-Rincón, A. Romero-Martínez and A. Trejo (Mexico City, Mexico) 187–201

Volume 91, No. 2

Mixtures of *n*-alkanes from the perturbation theory of anisotropic molecule fluids
J. Pavlíček, K. Aim and T. Boublík (Prague, Czech Republic)..... 203–214
An equation of state for non-polar substances based on the generalized van der Waals model
Nguyen Van Nhu, G.A. Iglesias-Silva and F. Kohler (Bochum, Germany)..... 215–237
Application of the CORGC equation of state with a new mixing rule to polar and nonpolar fluids
M. Zia-Razzaz and M. Moshfeghian (Shiraz, Iran)..... 239–263
Prediction of vapor–liquid equilibria of non-aqueous systems in the subcritical range by using the NRTL equation
A. Vetere (San Donato Milanese, Italy) 265–280
Excess enthalpies of dibromoalkane + tetrachloromethane mixtures. Measurement and analysis in terms of group contributions (DISQUAC)
S.T. Blanco, J.M. Embid and S. Otin (Zaragoza, Spain)..... 281–290
An experimental investigation of cloud-point curves for the poly(ethylene glycol)/water system at varying molecular weight distributions
A. Saraiva, O. Persson and A. Fredenslund (Lyngby, Denmark)... 291–311
The molar excess enthalpies and volumes of three 1-alkynes + 1-propanol and +2-propanol mixtures at 298.15 K
T.M. Letcher, J.D. Mercer-Chalmers, P.U. Govender (Durban, South Africa) and S.E. Radloff (Grahamstown, South Africa)..... 313–320
Vapour–liquid equilibria of α-pinene + limonene at reduced pressures
M.H. Nadais and M.G. Bernardo-Gil (Lisbon, Portugal) 321–330
Experimental data and modeling of vapor–liquid equilibria of the ternary system carbon dioxide + water + methylamine at 313, 333 and 353 K and pressures up to 0.4 MPa
F. Stumm, A. Heintz and N. Lichtenthaler (Heidelberg, Germany). 331–348

Review

Separation of constituents of fish oil using supercritical fluids: a review of experimental solubility, extraction, and chromatographic data
A. Staby and J. Mollerup (Lyngby, Denmark)..... 349–386

Corrigendum..... 387

Subject Index..... 389

Author Index..... 390

Contents of Volume 91 (1993)..... 391–392